

Den-Mat Holdings, LLC

2727 Skyway Drive • Santa Maria, CA • 93455 P.O. Box 1729 • Santa Maria, CA • 93456 U.S.A.

# MATERIAL SAFETY DATA SHEET

TRADE NAME: LUMIBRITE DESENSITIZING GEL - CN

CHEMICAL NAME: Potassium nitrate 5%

Potassium phosphate 10-15%

Tel: (800) 433-6628

Tel: (805) 922-8491

Int'l Fax: (805) 349-2607

I. PHYSICAL DATA

BOILING POINT (°C): N/A

MELTING POINT: N/A

SPECIFIC GRAVITY  $(H_20=1)$ : 1.2

VAPOR PRESSURE (20°C):

VAPOR DENSITY (Air=1): NE

SOLUBILITY IN WATER: Complete

EVAPORATION RATE (Butyl Acetate=1): NE

APPEARANCE AND ODOR: Translucent gel; odor-free

II. HAZARDS IDENTIFICATION

HAZARDOUS COMPOUND(S)

Ingredient CAS No. Toxicological Information Potassium nitrate 7757-79-1  $LD_{50}$  (rat - oral) 3750 mg/kg Potassium phosphate 7778-77-0  $LD_{50}$  (rabbit - skin) >4640 mg/kg

III. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (°C): N/A

EXTINGUISHING MEDIA: Chemical foam, CO<sub>2</sub>, dry chemicals, water

spray.

Effective Date: 9 Nov 2010

SPECIAL FIRE EXTINGUISHING PROCEDURES: Use self-contained breathing equipment

UNUSUAL FIRE AND EXPLOSION HAZARDS: N/A

LEL EXPLOSIVE LIMITS: NE

VEL EXPLOSIVE LIMITS: NE

### IV. HEALTH HAZARDS AND FIRST AID PROCEDURES

INHALATION: Not applicable.

SKIN: Wash with soap and water.

EYES: Flush with water for at least 15 minutes and consult physician.

INGESTION: If large quantities are consumed, consult physician

immediately.

CARCINOGENICITY: None known or anticipated

Chronic Exposure: May sequester calcium and cause calcium phosphate deposits in the kidneys.

## V. REACTIVITY DATA

STABILITY: Stable. Keep away from heat and water.

INCOMPATIBILITY: Acetone, ethers, water and acids.

HAZARDOUS DECOMPOSITION: Toxic oxides of carbon and nitrogen

compounds are emitted.

HAZARDOUS POLYMERIZATION: No data available.

### VI. SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS

RELEASED OR SPILLED: Wipe with absorbent towel.

WASTE DISPOSAL METHOD: Dispose according to government

regulations.

Effective Date: 9 Nov 2010

## EMERGENCY PHONE NUMBER: (805) 922-8491

While Den-Mat Holdings, LLC believes that the data contained herein are factual and the opinions expressed are those of qualified experts regarding the results of the tests conducted, the data are not to be taken as a warranty or representation for which Den-Mat assumes legal responsibility. They are offered solely for your consideration, investigation and verification. Any use of these data and information must be determined by the user to be in accordance with applicable Federal, State and local laws and regulations.

DEN-MAT HOLDINGS, LLC - 2727 SKYWAY DRIVE, SANTA MARIA, CA 93455 USA